DIABETES - HYPOGLYCEMIA			
Student:	Grade:	_ School Contact:	DOB:
Mother:	NIJ-lome #:	MW/ork #:	MCell #:
Father:			
Emergency Contact:	Relatio	nship:	Phone:
 SYMPTOMS OF A HYPOGLYCEMI Shaking, fast heartbeat, sweating, Complaints of hunger, impaired v Onset may be sudden and can SEVERE SYMPTOMS INCLUDE: Appears very pale, feels faint, loss 	anxiety, irritability vision, weakness or fatigue progress to Insulin Sho	e	THESE: Student Photo
 Seizure activity STAFF MEMBERS INSTRUCTED: Administratic 	📮 Classroom Te		cial Area Teacher(s) nsportation Staff
TREATMENT: Stop any activity immediately. Accompany the student to the He If off school grounds, provide a s $\frac{1}{2} - \frac{3}{4}$ cup juice Glucose tabs Hard candy Regular soda (not diet!) Glucose gel Notify parents/guardian (do not a	source of glucose:		ent for student first).
STEPS TO FOLLOW FOR A HYPOC Glucagon ordered: If Glucagon is ordered, it should be given unconscious, unresponsive or having a sei After Glucagon is given, call 911. Notify Students receiving glucagon without their staff member should accompany the stude present and adequate supervision for othe	by a willing volunteer wh izure. parents Preferred Hospit parent or guardian presen ent to the emergency roor	o has been trained by th al if transported: it should be transported	to the hospital by ambulance. A
Healthcare Provider		Phone	
	Date:		
Copy provided	to Parent	Copy sent to Healthcar	re Provider
Parent/Guardian Signature to share thi This plan is	s plan with Provider and S in effect for the current scho		